






W ← → E




cross section at x-x




split plan at B-B




split plan at station 2





split plan at case




542



upward
W ← → E




← elevations now looking in this direction




544

Plan of DEED



Plan of floor



17/8/88 evaluation of F40 survey (S.45) (90)

'head of doline' is marked with little red splash on the western side of the entrance rift

(conventions as usual)

leg	R	φ	α	Δx	Δy	Δz	station	Coordinates wrt. head of doline		
								x	y	z
o.d. → 0				+2.07	+0.74	-2.00	0	+2.07	+0.74	-2.00
0 → 1	15.40	X	-90	0	0	-15.40	1	+2.07	+0.74	-17.40
1 → 2	5.05	144	+48	+2.99	-2.73	+3.75	2	+0.08	+3.47	-24.15
2 → 3	9.80	X	-90	0	0	-9.80	3	+0.08	+3.47	-30.95
3 → 4	2.65	006	+32	+0.23	+2.24	+2.40	4	-0.15	+2.24	-32.36
4 → 5	9.50	X	-90	0	0	-9.50	5	-0.15	+2.24	-41.86
5 → 6	2.93	262	+12	-1.87	-0.26	+0.40	6	-2.02	+0.98	-41.46
6 → 7	2.20	169	+52	+0.26	-1.33	+1.73	7	-2.28	+2.31	-43.19
7 → 8	16.72	229	-52	-7.77	-6.75	-13.48	8	-10.05	-4.45	-56.37
8 → 9	18.70	X	+90	0	0	+18.70	9	-10.05	-4.45	-75.07
9 → 10	1.82	087	+88	+1.80	+0.09	+0.25	10	-8.25	-4.35	-71.81
10 → 11	6.95	350	-45	-0.76	+4.28	-4.35	11	-9.00	-0.07	-79.16
11 → 12	4.55	125	+44	+2.68	-1.88	+3.16	12	-11.68	+1.81	-82.32
12 → 13	16.70	X	-90	0	0	-16.70	13	-11.68	+1.81	-99.02
13 → 14	9.60	287	+12	-8.98	+2.75	+2.00	14	-20.66	+4.55	-97.03
depth below 24	4.70	X	-90	0	0	-4.70	bottom	-20.66	+4.55	-101.73